

2022 COLLECTION



Founded in 1955, Corum represents creative and daring watchmaking. Corum uses an approach free of dogmas that enables a reconceptualisation of movement construction, its casing, and the artistic crafts that brighten the dial. Behind the many technical achievements (baguette movement) and aesthetic achievements (Coin Watch, Feather, Bubble), Corum continues the tradition of high-quality watchmaking that is ahead of its time.

Corum, established in La Chaux-de-Fonds, is opening itself up to the contemporary, street art, and classical art worlds, and in doing so attracting the attention of various trendsetters. At once disruptive yet respectful of its watchmaking heritage, Corum maintains its status of a niche brand aimed at demanding collectors of unconventional timepieces.

Corum is currently based on five collections that embody its vision of 2Ist_century watchmaking: Admiral, Golden Bridge, Heritage, LAB and Bubble.



Admiral

Created in 1960, the Admiral collection draws its original inspiration from nautical sports, and its timepieces are now considered iconic sporty chic watches. Influenced by teak wood and jet set evenings, the Admiral goes from the deck to dinner without compromising its contemporary elegance. Over 60 years, the piece has established itself as a creation for aesthetes seeking tasteful casualness, in between work and leisure, city and nature. Independent, creative, audacious, it is undeniably a Corum creation.

The collection combines the aspirations of the modern gentleman with the early Admiral 42 line featuring a classic sport design, and the robust and sophisticated Admiral 45 line which was designed for extreme sports enthusiasts.









Al32/04254

MOVEMENT
CO 132 – Automatic
42 hours power-reserve
Functions: Hour, minute, second,
date, chronograph
Frequency: 4 Hz, 28,800 vph
Dimension: 12½""

ADM IR

CASE
Dimension: 45.00 mm
Thickness: 14.40 mm
Material: Titanium grade 5
Double anti-reflective sapphire crystal
Sapphire case back
Water-resistance: 300 meters / 30 ATM

DIAL
Material: Brass with 'Grenadier
fendu' pattern
Colour: Blue
Indexes: Rhodium-plated appliques,
superluminova
Hands: Rhodium-plated,

superluminova

STRAP/BRACELET
Material: Blue vulcanized rubber or titanium grade 5
Al32/04274: Triple-blade folding clasp in stainless steel with cover in titanium grade 5

Al32/04254: Triple-blade folding clasp in titanium grade 5



Chronograph 45 mm








AI32/04275

Limited edition of IOO





CASE Dimension: 45.00 mm Thickness: I4.40 mm Material: Titanium grade 5 Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 300 meters / 30 ATM

DIAL Material: Brass with 'Grenadier fendu' pattern Colour: Green Indexes: Rhodium-plated appliques, superluminova Hands: Rhodium-plated, superluminova

STRAP/BRACELET Material: Green vulcanized rubber or titanium grade 5 Al32/04275: Triple-blade folding clasp in stainless steel with cover in titanium grade 5 Al32/04272: Triple-blade folding clasp in titanium grade 5





CASE Dimension: 45.00 mm Thickness: I4.40 mm Material: Titanium grade 5 or 5N l8kt rose gold with bezel and crown in titanium grade 5 with black PVD treatment Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 300 meters / 30 ATM

DIAL Material: Brass with 'Grenadier fendu' pattern Colour: Black or silver Indexes: 5N gold-toned or rhodiumplated appliques, superluminova Hands: 5N gold-toned or rhodiumplated, superluminova

STRAP/BRACELET Material: Black vulcanized rubber or titanium grade 5 with 'Grenadier fendu' engraved pattern Al32/04276: Triple-blade folding clasp in stainless steel with cover

in titanium grade 5 with black DLC treatment and plate in 5N l8kt rose gold

Al32/04218: Triple-blade folding clasp in titanium grade 5






Chronograph 45 mm



AI32/03930





CASE Dimension: 45.00 mm Thickness: I4.40 mm Material: 5N I8kt rose gold Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 300 meters / 30 ATM

DIAL Material: Brass with 'Grenadier fendu' pattern Colour: Silver or black Indexes: 5N gold-toned appliques, superluminova Hands: 5N gold-toned, superluminova

STRAP/BRACELET Material: Vulcanized rubber Colour: Black Triple-blade folding clasp in titanium grade 5 with black PVD coating



Dimension: 45.00 mm Thickness: I4.40 mm Material: Titanium grade 5 or titanium grade 5 with black PVD treatment Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 300 meters / 30 ATM

DIAL Material: Brass with 'Grenadier fendu' pattern Colour: Silver or black Indexes: Rhodium-plated appliques, superluminova Hands: Rhodium-plated, superluminova

STRAP/BRACELET Material: Vulcanized rubber Colour: Black Triple-blade folding clasp in titanium grade 5 or titanium grade 5 with black PVD treatment



CASE

AI32/03876



A298/0390I

Limited edition of I8







MOVEMENT CO 298 - Automatic 72 hours power-reserve Functions: Hour, minute, tourbillon, small second, power-reserve, 3-minute counter Frequency: 3 Hz, 2I,600 vph Dimension: I21/2"

CASE Dimension: 45.00 mm Thickness: I4.40 mm Material: Carbon with gold inclusions, crown in 5N l8kt rose gold or 5N l8kt rose gold with bezel superluminova in titanium grade 5 with black PVD treatment Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO m / IO ATM, 300 m / 30 ATM (A298/0390I)

DIAL Material: Brass Indexes: Nautical flags appliques with black PVD treatment Hands: 5N gold-toned,

STRAP/BRACELET Material: Vulcanized rubber and synthetic Colour: Black Triple-blade folding clasp in titanium grade 5 with black PVD treatment







MOVEMENT CO 297 - Automatic 48 hours power-reserve Functions: Hour, minute, small second, power-reserve, 3-minute counter

Frequency: 4 Hz, 28,800 vph Dimension: I2 1/2 ""

superluminova, crown in titanium grade 5 with black PVD treatment Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

Dimension: 45.00 mm

Thickness: I4.40 mm

Material: Carbon with green

CASE

DIAL Material: Brass Indexes: Rhodium-plated nautical flags appliques Hands: Rhodium-plated, superluminova

STRAP/BRACELET Material: Vulcanized rubber and synthetic Colour: Black Triple-blade folding clasp in titanium grade 5 with black PVD treatment

MOVEMENT CO 297 - Automatic 48 hours power-reserve Functions: Hour, minute, small second, power-reserve, 3-minute counter Frequency: 4 Hz, 28,800 vph Dimension: I21/2"

A297/03897

CASE Dimension: 45.00 mm Thickness: I4.40 mm Material: Titanium grade 5 or 5N 18kt rose gold with bezel in titanium grade 5 with black PVD treatment Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 300 meters / 30 ATM

DIAL Material: Brass Indexes: Rhodium-plated nautical flag appliques or nautical flags Hands: Rhodium-plated or 5N gold- grade 5 with black PVD treatment toned, superluminova

STRAP/BRACELET Material: Vulcanized rubber and synthetic Colour: Black appliques with black PVD treatment Triple-blade folding clasp in titanium







DIAL

A395/04324

Limited edition of IOO



MOVEMENT CO 395 - Automatic 42 hours power-reserve Functions: Hour, minute, small second, date Frequency: 4 Hz, 28,800 vph Dimension: Il 1/2"

Dimension: 42.00 mm Thickness: IO.30 mm Material: Stainless steel, sandblasted, anti-fingerprint coating, gunmetal grey DLC

CASE

treatment Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

Material: Brass Colour: Gunmetal grey Indexes: Rhodium-plated appliques with nautical flags Hands: Rhodium-plated, superluminova

STRAP/BRACELET Material: Stainless steel, sandblasted, anti-fingerprint coating, gunmetal grey DLC treatment Triple-blade folding clasp in stainless steel, sandblasted, anti-fingerprint coating, gunmetal grey DLC treatment





CASE

A395/04293





Dimension: 42.00 mm Thickness: IO.30 mm Material: Stainless steel Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

DIAL Material: Brass with 'Grenadier fendu' pattern Colour: Blue or black Indexes: Rhodium-plated appliques in stainless steel Hands: Rhodium-plated, superluminova

STRAP/BRACELET Material: Alligator leather Colour: Blue or black Triple-blade folding clasp



A395/0429I



CASE Dimension: 42.00 mm Thickness: IO.30 mm Material: Stainless steel Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

DIAL Material: Brass with 'Grenadier fendu' pattern Colour: Blue or black Indexes: Rhodium-plated appliques Hands: Rhodium-plated, superluminova

STRAP/BRACELET Material: Stainless steel Triple-blade folding clasp in stainless steel









CASE

IO ATM



MOVEMENT CO 395 - Automatic 42 hours power-reserve Functions: Hour, minute, small second, date Frequency: 4 Hz, 28,800 vph Dimension: Il 1/2"

SWISS TY MADE

Thickness: IO.30 mm Material: Stainless steel Bezel and crown in 5N l8kt rose gold Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters /

Dimension: 42.00 mm

Material: Brass with 'Grenadier fendu' pattern Colour: Blue or black Indexes: Rhodium-plated appliques in stainless steel Hands: Rhodium-plated, superluminova

DIAL

STRAP/BRACELET Material: Alligator leather Colour: Blue or black Triple-blade folding clasp





A395/04320

Limited edition of IOO



Limited edition of IOO





MOVEMENT CO 395 - Automatic 42 hours power-reserve Functions: Hour, minute, small second, date Frequency: 4 Hz, 28,800 vph Dimension: Il 1/2"

CORUM,

CASE Dimension: 42.00 mm Thickness: IO.30 mm Material: Bronze Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

Material: Brass Colour: Shades of burgundy or shades of brown Indexes: 5N gold-toned appliques with nautical flags in colour Hands: 5N gold-toned, superluminova

DIAL

STRAP/BRACELET Material: Leather strap Colour: Burgundy or brown Triple-blade folding clasp in stainless steel with black PVD treatment







MOVEMENT CO 395 - Automatic 42 hours power-reserve Functions: Hour, minute, small second, date Frequency: 4 Hz, 28,800 vph Dimension: Il 1/2"

CASE Dimension: 42.00 mm Thickness: IO.30 mm Material: Stainless steel Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

Material: Brass Colour: White Indexes: 5N gold-toned appliques with nautical flags in colour Hands: 5N gold-toned, superluminova

STRAP/BRACELET Material: Stainless steel Triple-blade folding clasp in stainless steel





A395/04240

MOVEMENT CO 395 - Automatic 42 hours power-reserve Functions: Hour, minute, small second, date Frequency: 4 Hz, 28,800 vph Dimension: Il 1/2"

CASE Dimension: 42.00 mm Thickness: IO.30 mm Material: Stainless steel Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

DIAL Material: Brass Colour: Sunray blue Indexes: Rhodium-plated appliques Triple-blade folding clasp with nautical flags in colour Hands: Rhodium-plated, superluminova

STRAP/BRACELET Material: Blue vulcanized rubber or stainless steel in stainless steel



MOVEMENT

Dimension: Il 1/2"

Dimension: 42.00 mm Thickness: IO.30 mm Material: Stainless steel Bezel and crown in 5N l8kt rose gold Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

DIAL Material: Brass Colour: White Indexes: 5N gold-toned appliques with nautical flags in colour Hands: 5N gold-toned, superluminova

STRAP/BRACELET Material: Stainless steel and 5N I8kt rose gold or blue vulcanized rubber Triple-blade folding clasp in stainless steel



CASE









CASE Dimension: 42.00 mm Thickness: IO.30 mm Material: Stainless steel Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 50 meters / 5 ATM

DIAL Material: Brass Colour: White or blue Indexes: Transferred nautical flags in colour Hands: Rhodium-plated, superluminova

STRAP/BRACELET Material: Vulcanized rubber Colour: Black or blue Triple-blade folding clasp in stainless steel





A395/02982

MOVEMENT CO 395 - Automatic 42 hours power-reserve Functions: Hour, minute, small second, date Frequency: 4 Hz, 28,800 vph Dimension: Il 1/2"

CASE Dimension: 42.00 mm Thickness: IO.30 mm Material: Stainless steel Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 50 meters / 5 ATM

DIAL Material: Brass Colour: White or blue Indexes: Rhodium-plated appliques with nautical flags in colour Hands: Rhodium-plated, superluminova

STRAP/BRACELET Material: Alligator leather Colour: Brown or blue Triple-blade folding clasp in stainless steel







A984/0425I



A984/04252

MOVEMENT CO 984 - Automatic 42 hours power-reserve Functions: Hour, minute, chronograph, small second, date Frequency: 4 Hz, 28,800 vph Dimension: I21/2"

CASE Dimension: 42.00 mm Thickness: I2.30 mm Material: Stainless steel Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

DIAL Material: Brass Colour: Black or white Indexes: Rhodium-plated appliques stainless steel with nautical flags in colour Hands: Rhodium-plated, superluminova

STRAP/BRACELET Material: Stainless steel Triple-blade folding clasp in







MOVEMENT
CO 984 - Automatic
42 hours power-reserve
Functions: Hour, minute,
chronograph, small second, date
Frequency: 4 Hz, 28,800 vph
Dimension: 12 ½ ""

CASE
Dimension: 42.00 mm
Thickness: 12.30 mm
Material: Stainless steel
Double anti-reflective sapphire
crystal
Sapphire case back
Water-resistance: 100 meters /
10 ATM

DIAL
Material: Brass
Colour: Black
Indexes: Rhodium-plated appliques
with nautical flags in colour
Hands: Rhodium-plated,
superluminova

STRAP / BRACELET Material: Vulcanized rubber Colour: Black Triple-blade folding clasp in stainless steel





Limited edition of I50

A082/04239 Limited edition of I50



CASE



MOVEMENT
CO 082 - Automatic
42 hours power-reserve
Functions: Hour, minute, second, date
Frequency: 4 Hz, 28,800 vph
Dimension: II ½ ""

Thickness: 8.95 mm
Material: Titanium grade 5, bezel set with 72 VS / F / full-cut diamonds (0.65 ct)
Double anti-reflective sapphire crystal
Sapphire case back
Water-resistance: IOO meters / IO ATM

Dimension: 38.00 mm

DIAL
Material: Brass with 'Grenadier fendu' pattern
Colour: Pink
Indexes: Rhodium-plated
Hands: Rhodium-plated,
superluminova

STRAP/BRACELET
Material: Pink vulcanized rubber or
titanium grade 5
A082/04239: Triple-blade folding
clasp in stainless steel with cover
and plate in titanium grade 5
A082/04242: Triple-blade folding
clasp in titanum grade 5



A082/04262



A082/04243




CASE Dimension: 38.00 mm Thickness: 8.95 mm Material: Titanium grade 5 Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

DIAL Material: Brass with 'Grenadier fendu' pattern Colour: White Indexes: 5N gold-toned Hands: 5N gold-toned, superluminova

STRAP/BRACELET Material: Titanium grade 5 Triple-blade folding clasp in titanum grade 5





CASE Dimension: 38.00 mm Thickness: 8.95 mm Material: Titanium grade 5, bezel in 5N l8kt rose gold set with 72 VS/F/full-cut diamonds (0.65 ct) Hands: 5N gold-toned, Crown in 5N I8kt rose gold Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

DIAL Material: Brass with 'Grenadier fendu' pattern Colour: White Indexes: 5N gold-toned superluminova

Material: White vulcanized rubber or titanium grade 5 and 5N l8kt rose gold A082/04244: Triple-blade folding clasp in stainless steel with cover in titanium grade 5 and plate in 5N 18kt rose gold A082/04262: Triple-blade folding

clasp in titanum grade 5

STRAP/BRACELET





<u>39</u>




A082/04I43



A082/04263





CASE Dimension: 38.00 mm Thickness: 8.95 mm Material: Titanium grade 5, bezel in 5N l8kt rose gold set with 72 VS/F/full-cut diamonds (0.65 ct) Hands: 5N gold-toned, Crown in 5N l8kt rose gold Double anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

DIAL Material: Brass with 'Grenadier fendu' pattern Colour: Brown Indexes: 5N gold-toned superluminova

STRAP/BRACELET Material: Brown vulcanized rubber or titanium grade 5 and 5N l8kt rose gold A082/04263: Triple-blade folding clasp in stainless steel with cover in titanium grade 5 and plate in 5N 18kt rose gold A082/04264: Triple-blade folding clasp in titanum grade 5



CASE

A082/03922



MOVEMENT CO 082 - Automatic 42 hours power-reserve Functions: Hour, minute, second, Frequency: 4 Hz, 28,800 vph Dimension: II 1/2"

Dimension: 38.00 mm Thickness: 8.95 mm Material: Titanium grade 5, bezel set with 72 VS/F/full-cut diamonds (0.65 ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 50 meters / 5 ATM

DIAL Material: Brass with 'Grenadier fendu' pattern Colour: White or blue Indexes: Rhodium-plated Hands: Rhodium-plated, superluminova

STRAP/BRACELET Material: Vulcanized rubber Colour: White Triple-blade folding clasp in titanium grade 5







Golden Bridge

Launched by Corum in 1980, The Golden Bridge model remains a unique construction in watchmaking, an original creation where the linear movement forms both the calibre and most of the piece's dial. Sculptural, technical, and of rare aesthetic audacity, the baguette movement of the Golden Bridge is unrivaled in the world of Fine Watchmaking.

In celebration of the IOth anniversary of the Automatic Golden Bridge, Corum takes another leap, unveiling a new Automatic Golden Bridge series with an avant-garde case that delivers sweeping views of the meticulously finished movement.





with black PVD treatment Appliques: Rhodium-plated and black galvanic treatment or 5N gold-toned and black galvanic treatment

Hands: Black galvanic treatment

STRAP/BRACELET Material: Alligator leather Colour: Black Triple-blade folding clasp in titanium grade 5 with black DLC treatment or in titanium grade 5 with black

DLC treatment with 5N gold-toned

B3I3/04279

Limited edition of I50


B3I3/04278 Limited edition of 50







3 ATM



Thickness: I3.70 mm Material: Titanium grade 5 with black DLC treatment or Titanium grade 5 with black DLC treatment with horns and crown in 5N I8kt rose gold Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters /



B3I3/04280

Limited edition of IOO

B313/04281

Limited edition of 25



MOVEMENT CO 3I3 - Automatic 40 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: I4¾"" x 5"" Movement finishes: Bridges and plate in I8kt gold, oscillating mass in platinum

CASE Dimension: 37.20 x 5l.80 mm Thickness: I3.70 mm Material: Titanium grade 5 with black DLC treatment, horns in titanium grade 5 and crown in I8kt white gold or titanium grade 5 with black DLC treatment, horns and crown in 5N l8kt rose gold Gem-setting: 72 VVS/G/full-cut diamonds (0.97 ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

DIAL Material: Harness system in brass with black PVD treatment Appliques: Rhodium-plated and black galvanic treatment or 5N gold-toned and black galvanic treatment

Hands: Black galvanic treatment

STRAP/BRACELET Material: Alligator leather Colour: Black Triple-blade folding clasp in titanium grade 5 with black DLC treatment or in titanium grade 5 with black DLC treatment and with 5N goldtoned cover







MOVEMENT CO II3 - Hand-wound 40 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: I434''' x 5''' Movement finishes: Bridges and plate in I8kt gold CASE Dimension: 34.00 x 51.00 mm Thickness: II.35 mm Material: 5N I8kt rose gold or I8kt white gold, snow set with 3l4 VVS/ D to H/full-cut diamonds of different sizes (2.68 ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

DIAL No dial Hands: 5N gold-toned or rhodiumplated

STRAP/BRACELET Material: Alligator leather Colour: Brown or black Triple-blade folding clasp in I8kt gold





BII3/01043





CASE Dimension: 34.00 x 5l.00 mm Thickness: II.35 mm Material: 5N I8kt rose gold BII3/01045: I80 VVS/D to H/fullcut diamonds (I.05 ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

DIAL No dial Hands: 5N gold-toned STRAP/BRACELET Material: Alligator leather Colour: Brown Pin buckle in 5N l8kt rose gold MOVEMENT CO II3 - Hand-wound 40 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: I4¾"" x 5"" Movement finishes: Bridges and plate in I8kt gold

CASE Dimension: 34.00 x 5l.00 mm Thickness: II.35 mm Material: I8kt white gold BII3/01044: I80 VVS/D to H/fullcut diamonds (I.05 ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

DIAL No dial Hands: Rhodium-plated STRAP/BRACELET Material: Alligator leather Colour: Black Pin buckle in l8kt white gold



BII3/01042











CASE Dimension: 2I.00 x 43.00 mm Thickness: II.19 mm Material: 5N I8kt rose gold or I8kt white gold, snow set with 245 VVS/ D to G/full-cut diamonds of different sizes (I.28 ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

DIAL No dial Hands: Black-coloured

Material: Alligator leather Colour: Black

Pin buckle in l8kt gold

STRAP/BRACELET





BII3/0082I





MOVEMENT CO II3 - Hand-wound 40 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: I4¾"' x 5"' Movement finishes: Bridges and plate in I8kt gold

CASE Dimension: 2I.00 x 43.00 mm Thickness: II.19 mm Material: I8kt white gold BII3/00823: 90 VVS/D to G/fullcut diamonds (0.68 ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

DIAL No dial Hands: Black-coloured STRAP/BRACELET Material: Alligator leather Colour: Black Pin buckle in l8kt white gold



BII3/00975

MOVEMENT CO II3 - Hand-wound 40 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: I4¾"" x 5"" Movement finishes: Bridges and plate in I8kt gold

CASE Dimension: 2I.00 x 43.00 mm Thickness: II.19 mm Material: 5N I8kt rose gold or 18kt white gold BII3/00976: 90 VVS/D to G/fullcut diamonds (0.68 ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

DIAL No dial Hands: Black-coloured STRAP/BRACELET Material: 5N I8kt rose gold or 18kt white gold Triple-blade folding clasp in I8kt gold











BII3/00822



MOVEMENT CO II3 - Hand-wound 40 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: I434''' x 5''' Movement finishes: Bridges and plate in l8kt gold

CASE Dimension: 2I.00 x 43.00 mm Thickness: II.19 mm Material: 5N I8kt rose gold BII3/00824: 90 VVS/D to G/fullcut diamonds (0.68 ct) Double anti-reflective sapphire crystal Sapphire case back

Water-resistance: 30 meters/3 ATM

DIAL No dial Hands: Black-coloured

STRAP/BRACELET Material: Alligator leather Colour: Black Pin buckle in 5N l8kt rose gold





MOVEMENT CO IOO - Hand-wound 90 hours power-reserve Functions: Hours, minutes, flying tourbillon, small seconds with the tourbillon cage crystal Sapphire case back Frequency: 3 Hz, 2I,600 vph Dimension: 20" x I3 34"" Sapphire crystal plate and bridges

CASE Dimension: 37.50 x 56.00 mm Material: 5N I8kt rose gold Double anti-reflective sapphire Water-resistance: 30 meters/3 ATM DIAL No dial Hands: 5N gold-toned

STRAP/BRACELET Material: Alligator leather Colour: Black Triple-blade folding clasp in 5N l8kt rose gold



Golden Bridge

BI00/01508



BI00/01509

MOVEMENT CO IOO - Hand-wound 90 hours power-reserve Functions: Hours, minutes, flying tourbillon, small seconds with the tourbillon cage Frequency: 3 Hz, 2I,600 vph Dimension: 20" x I3 34"" Sapphire crystal plate and bridges

CASE Dimension: 34.00 x 5l.00 mm Thickness: II.35 mm Material: 5N I8kt rose gold or I8kt white gold, set with 88 VVS/F to G/baguette-cut diamonds (5.04ct) and I78 VVS/D to G/full-cut diamonds (2.41ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

DIAL No dial Hands: 5N gold-toned or rhodium-

STRAP/BRACELET Material: Alligator leather Colour: Black Triple-blade folding clasp in I8kt gold set with IO4 VVS/D to G/fullcut diamonds (0.84ct)

MOVEMENT CO IOO - Hand-wound 90 hours power-reserve Functions: Hours, minutes, flying tourbillon, small seconds with I78 VVS/F to G/full-cut diamonds, the tourbillon cage Frequency: 3 Hz, 2I,600 vph Dimension: 20" x I3 34"" Sapphire crystal plate and bridges

CASE Dimension: 34.00 x 5l.00 mm Thickness: II.35 mm Material: 5N I8kt rose gold set with 3.08 ct and 88 baguette-cut blue sapphires, 5.49 ct Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

DIAL No dial Hands: 5N gold-toned STRAP/BRACELET Material: Alligator leather Colour: Black Triple-blade folding clasp in 5N l8kt rose gold set with 48 VVS/D to G/full-cut diamonds (0.24ct)





BI00/03986

Unique piece



CASE

3 ATM


BI00/03983

Unique piece



BI00/03985

Unique piece



Dimension: 34.00 x 5l.00 mm Thickness: II.35 mm Material: 5N I8kt rose gold or I8kt G/full-cut diamonds, 3.08 ct and 88 black baguette-cut diamonds, 5.04 ct Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters /

DIAL No dial Hands: 5N gold-toned or rhodium-

STRAP/BRACELET Material: Alligator leather Colour: Black Triple-blade folding clasp in I8kt gold set with 48 VVS/D to G/fullcut diamonds (0.24 ct)



MOVEMENT CO IOO - Hand-wound 90 hours power-reserve Functions: Hours, minutes, flying tourbillon, small seconds with the tourbillon cage Frequency: 3 Hz, 2I,600 vph Dimension: 20" x I3 34"" Sapphire crystal plate and bridges

CASE Dimension: 34.00 x 5l.00 mm Thickness: II.35 mm Material: 5N l8kt rose gold or l8kt white gold set with I78 VVS/F to G/full-cut diamonds, 3.08 ct and 88 baguette-cut multicolor sapphires, 5.49 ct Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

DIAL No dial Hands: 5N gold-toned or rhodiumplated

STRAP/BRACELET Material: Alligator leather Colour: Black Triple-blade folding clasp in I8kt gold set with 48 VVS/D to G/fullcut diamonds (0.24 ct)













MOVEMENT
CO II3 - Hand-wound
40 hours power-reserve
Functions: Hour, minute
Frequency: 4 Hz, 28,800 vph
Dimension: I4¾"" x 5"'
Movement finishes: Bridges, plate
and decorative elements in I8kt
gold

CASE
Dimension: 43.00 mm
Thickness: 8.80 mm
Material: l8kt white gold, set with 96 VVS/H/baguette-cut diamonds (6.56 ct)
Double anti-reflective sapphire crystal
Sapphire case back

Water-resistance: 30 meters / 3 ATM

DIAL
No dial
Flange: Brass, rhodium-plated
Corum applique
Decorative elements: Hand sculpted
and engraved dragon in I8kt white
gold, dragon tail set with a pearl
and eyes set with 2 black diamonds
(0.02 ct)

STRAP/BR
Material: A
Triple-blac
18kt gold
18kt

Hands: Rhodium-plated

STRAP/BRACELET Material: Alligator leather Colour: Red Triple-blade folding clasp in 18kt gold





BII3/03909

Limited edition of I8



Limited edition of I8







MOVEMENT CO II3 - Hand-wound 40 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: I4¾"" x 5"" Movement finishes: Bridges, plate and decorative elements in I8kt gold

CASE Dimension: 43.00 mm Thickness: 8.80 mm Material: 5N I8kt rose gold or I8kt white gold, set with 88 VVS/H/fullcut diamonds (2.16 ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

No dial Flange: Brass, brown or black, 5N gold-toned or rhodium-plated Corum applique Decorative elements: Hand sculpted and engraved dragon in 5N l8kt rose gold or I8kt white gold, dragon tail set with a pearl and eyes set with

2 rubies Hands: Rhodium-plated

DIAL

STRAP/BRACELET Material: Alligator leather Colour: Brown or black Triple-blade folding clasp in . I8kt gold




BII3/04069

Limited edition of I8









CASE Dimension: 43.00 mm Thickness: 8.80 mm Material: I8kt white gold Material: 18kt white gold
BII3/03334: Sapphire case back
68 baguette-cut multicolor sapphires
(4.50 ct), 15 baguette-cut peridots
(0.99 ct), 8 baguette-cut tavorites
(I.04ct), 5 baguette-cut rubies (0.65 ct)
BII3/04069: 96 VVS/H/baguette-cut diamonds (6.56 ct)
Double anti-reflective sapphire
crystal crystal
Sapphire case back
Water-resistance: 30 meters / 3 ATM

DIAL STRAP/BRACELET No dial Material: Alligator leather Flange: Rhodium-plated Colour: Green or black Decorative elements: Rhodium-Triple-blade folding clasp in plated 5N gold microstructure set 18kt white gold with IO8 VVS/H/full-cut diamonds





MOVEMENT CO II3 - Hand-wound 40 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: I434''' x 5''' Movement finishes: Bridges, plate and decorative elements in I8kt

CASE Dimension: 39.00 mm Thickness: 8.80 mm Material: I8kt white gold set with 48 precious gemstones (I.I5 ct) and 28 VVS/H/full-cut diamonds (0.40 ct) Double anti-reflective sapphire

crystal Sapphire case back

Water-resistance: 30 meters / 3 ATM

DIAL

Material: Structure composed of I4 baguette-cut blue sapphires and 6 marquise cut blue sapphires (I.IO ct) Flange and bridges set with 83 VVS/H/full-cut diamonds (I.05 ct) Indexes: 5N gold-toned

Hands: Rhodium-plated

STRAP/BRACELET Material: Alligator leather Colour: Blue Triple-blade folding clasp in 18kt white gold





MOVEMENT CO II3 - Hand-wound 40 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: I434"' x 5" Movement finishes: Bridges, plate and decorative elements in I8kt

CASE Dimension: 39.00 mm Thickness: 8.80 mm Material: I8kt white gold set with 76 VVS/H/full-cut diamonds (I.5I ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters /

3 ATM

DIAL Material: Structure composed of 37 VVS/H/full-cut diamonds and 6 VVS/H/marquise cut diamonds (I.IO ct) Flange and bridges set with IO6 VVS/H/full-cut diamonds (0.38 ct) Indexes: 5N gold-toned Hands: Rhodium-plated

STRAP/BRACELET Material: Alligator leather Colour: Blue Triple-blade folding clasp in 18kt white gold



MOVEMENT CO II3 - Hand-wound 40 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: I4¾"" x 5"" Movement finishes: Bridges, plate and decorative elements in I8kt gold

CASE Dimension: 39.00 mm Thickness: 8.80 mm Material: 18kt white gold set with 48 precious gemstones (I.I5 ct) and 28 VVS/H/full-cut diamonds (0.40 ct) Double anti-reflective sapphire crystal Sapphire case back

3 ATM

Water-resistance: 30 meters /

STRAP/BRACELET Material: Structure in precious Material: Alligator leather Colour: White Flange and bridges set with IO6 Triple-blade folding clasp in VVS/H/full-cut diamonds (0.38 ct) 18kt white gold

Indexes: Rhodium-plated or 5N

Hands: Rhodium-plated

gold-toned









MOVEMENT CO II3 - Hand-wound 40 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: I434''' x 5''' Movement finishes: Bridges, plate and decorative elements in I8kt gold

CASE Dimension: 39.00 mm Thickness: 8.80 mm Material: 5N I8kt rose gold set with Flange and bridges set with I06 Triple-blade folding clasp in 76 VVS/H/full-cut diamonds (I.5I ct) VVS/H/full-cut diamonds (0.38 ct) 5N I8kt rose gold Double anti-reflective sapphire crystal Sapphire case back

Water-resistance: 30 meters / 3 ATM

DIAL Material: Structure in precious Indexes: Rhodium-plated Hands: 5N gold-toned

STRAP/BRACELET Material: Alligator leather Colour: Plum



Heritage

The Heritage Collection pays tribute to traditional watchmaking reinterpreted by Corum. For more than half a century, Corum has greatly enriched the technical and aesthetic language of the rather conservative realm of watchmaking. The "Heritage" title of this collection is a way for Corum to demonstrate the importance of its roots but at the same time going beyond its history and renewing it.

The Coin Watch, the dial and movement of which are encased within a coin, is itself the most timeless illustration of the boldness it has held within for almost forty years.







C082/0248I

MOVEMENT CO 082 - Automatic 42 hours power-reserve Functions: Hour, minute Frequency: 4 Hz, 28,800 vph Dimension: II ½ ""

CASE Dimension: C082/03l67: 43.00 mm Material: 3N 22kt yellow gold C082/0248I: 36.00 mm Thickness: C082/03I67: 7.60 mm C082/0248I: 7.IO mm Material: 3N l8kt yellow gold Case back: 3N 22kt yellow gold "Double Eagle" coin or American Eagle coin Crown set with I VS/D to H/full-cut diamonds (0.17 ct) Water-resistance: IO meters / I ATM

DIAL "Double Eagle" coin or American Eagle coin Hands: Black varnish

STRAP/BRACELET Material: Alligator leather Pin buckle in 3N l8kt yellow gold





C293/0083I




MOVEMENT
CO 293 – Automatic
72 hours power-reserve
Functions: Hour, minute
Frequency: 4 Hz, 28,800 vph
Dimension: II ½ ""

CASE
Dimension: 36.00 mm
Thickness: 6.40 mm
Material: 3N 18kt yellow gold
Case back: 3N 22kt yellow gold
"Double Eagle" coin
Crown set with I VS/D to H/ full-cut
diamonds (0.17 ct)
Water-resistance: 30 meters /
3 ATM

DIAL Material: 3N 22kt yellow gold "Double Eagle" coin Hands: Black varnish STRAP/BRACELET Material: Alligator leather Pin buckle in 3N l8kt yellow gold





C082/04012

Unique piece



MOVEMENT
CO 082 - Automatic
42 hours power-reserve
Functions: Hour, minute, second
Frequency: 4 Hz, 28,800 vph
Dimension: II ½ ""

CASE
Dimension: 46.50 mm
Thickness: I3.60 mm
Material: I8kt white gold set with
423 VVS/F to G/full-cut diamonds,
II.60 ct and I blue sapphire (0.36 ct)
Double anti-reflective sapphire
crystal
Sapphire case back
Water-resistance: 30 meters/3 ATM

DIAL Material: Crystalium Hands: Blue varnish STRAP/BRACELET Material: Alligator leather Colour: Blue Triple-blade folding clasp in 18kt white gold





LAB

Staying true to its founding philosophy of always being Avant-Garde in order to preserve its future, Corum developed the LAB series to showcase its unprecedented foray into distinctive and fearless watchmaking. The LAB 02 is the second laboratory watch to make its debut, with LAB OI released in early 2019.

This new pillar of the Corum family pays tribute to the brand's founders who were always risk-takers and nonconformists. The entire premise of the LAB series is to break the mold by thinking outside of the proverbial box. LAB 02 certainly delivers.





CASE

MOVEMENT
CO 300 - Hand-wound
55 hours power-reserve
Functions: Hour, minute, date, flying tourbillon, power-reserve
Frequency: 3 Hz, 21,600 vph
Dimension: 16 ½""

Thickness: I3.40 mm
Material: 5N I8kt rose gold, case sides in sapphire crystal
Z300/04III: I08 VVS/F to G/full-cut diamonds (2.99 ct)
Double anti-reflective sapphire crystal
Sapphire case back
Water-resistance: 30 meters / 3 ATM

Dimension: 45.00 mm

DIAL
Material: Flange in 5N gold-toned brass
Indexes: 5N gold-toned
Hands: Rhodium-plated

STRAP / BRACELET Material: Alligator leather Colour: Black Triple-blade folding clasp in 5N 18kt rose gold







Z300/04076

Unique piece

Z300/04II2

Unique piece





MOVEMENT CO 300 - Hand-wound 55 hours power-reserve Functions: Hour, minute, date, flying tourbillon, power-reserve Frequency: 3 Hz, 2I,600 vph Dimension: I6 1/2"

CASE Dimension: 45.00 mm Thickness: I3.40 mm Material: I8kt white gold, case sides Indexes: Rhodium-plated in sapphire crystal **Z300/04II2:** IO8 VVS/F to G/fullcut diamonds (2.99 ct) Double anti-reflective sapphire crystal Sapphire case back Water-resistance: 30 meters / 3 ATM

DIAL Material: Flange in rhodium-plated Hands: Black-coloured

STRAP/BRACELET Material: Alligator leather Colour: Black Triple-blade folding clasp in 18kt white gold





Bubble

More than twenty years after the dazzling success of its emblematic Bubble, Corum continues to celebrate this icon with limited editions that are independent, impertinent and irreverent. Corum explores a boundless creative universe for enthusiasts of uninhibited and avant-garde watchmaking.



L082/04330

Limited edition of 666



MOVEMENT CO 082 - Automatic 42 hours power-reserve Functions: Hour, minute, second Frequency: 4 Hz, 28,800 vph Dimension: Il ½"

CASE Dimension: 47.00 mm Thickness: I8.50 mm Material: Stainless steel with black PVD treatment Domed anti-reflective sapphire crystal Sapphire case back Water-resistance: IOO meters / IO ATM

DIAL Material: Brass and sapphire discs Distinctive features: Luminescent skull pattern Hands: Rhodium-plated

black PVD treatment

STRAP/BRACELET

Material: Rubber and synthetic Colour: Black with fluorescent green stitching Pin buckle in stainless steel with





L771/04160

Limited edition of 88



MOVEMENT
CO 77I – Automatic
55 hours power-reserve
Functions: Hour, minute, second, date, chronograph
Frequency: 4 Hz, 28,800 vph
Dimension: I3 ½ ""

CASE
Dimension: 47.00 mm
Thickness: 20.45 mm
Material: Titanium grade 5 with black PVD treatment
Domed anti-reflective sapphire crystal
Sapphire case back
Water-resistance: IOO meters / IO ATM

DIAL Material: Brass Colour: Opaline rhodium Hands: Black-coloured STRAP/BRACELET Material: Vulcanized rubber Colour: Black Pin buckle in stainless steel with black PVD treatment



For a complete list of Corum boutiques and authorized retailers, please visit corum-watches.com
Photographs are not contractually binding. Corum reserves the right to alter the models shown at any time.
Montres CORUM Sàrl Rue du Petit-Château I Case postale 374 230I La Chaux-de-Fonds, Switzerland
corum-watches.com @corumwatches
2022 © CORUM Watches

